Cookiecutter for Birdhouse Documentation

Release 0.2.0

Birdhouse

May 25, 2018

Contents:

1	Features	3
2	Installation	5
3	Usage	7
4	Development	9
5	Bump a new version	11

Todo:

- Review all this README.
- Add Cookiecutter logo with a Bird.

A Cookiecutter template for a Birdhouse bird package (PyWPS server).

- GitHub repo: https://github.com/bird-house/cookiecutter-birdhouse/
- Documentation: http://cookiecutter-birdhouse.readthedocs.io/en/latest/
- Free software: BSD license

Features

- Ready-made PyWPS service (a bird).
- Pre-configured .travis.yml for Travis-CI
- Sphinx docs: Documentation ready for generation with, for example, ReadTheDocs

Installation

Prior to installing cookiecutter-birdhouse, the cookiecutter package must be installed in your environment. This is achieved via the following command:

\$ conda install -c conda-forge cookiecutter

With cookiecutter installed, the cookiecutter-birdhouse template can be installed with:

\$ cookiecutter https://github.com/bird-house/cookiecutter-birdhouse.git

Once cookiecutter clones the template, you will be asked a series of questions related to your project:

CHAPTER $\mathbf{3}$

Usage

After answering the questions asked during installation, a *bird* Python package will be created in your current working directory. This package will contain a configurable PyWPS service with some initial test processes.

Then:

- Create a repo and put it there.
- Add the repo to your Travis-CI account.
- Add the repo to your ReadTheDocs account + turn on the ReadTheDocs service hook.

For more details, see the cookiecutter-pypackage tutorial.

Development

If you want to extend the cookiecutter template then prepare your development environment as follows:

```
# clone repo
$ git clone git@github.com:bird-house/cookiecutter-birdhouse.git
# change into repo
$ cd cookiecutter-birdhouse
# create conda environment
$ conda env create -f environment.yml
# activate conda environment
$ source activate cookiecutter-birdhouse
# run tests
$ make test
# bake a new bird with default settings
$ make bake
# the new "baked" bird is created in the cookies folder
$ ls -l cookies/
babybird
# well ... you know what to do with a bird :)
# finally you may clean it all up
$ make clean
```

Bump a new version

Make a new version of this Cookiecutter in the following steps:

* Make sure everything is commit to GitHub.

* Update `CHANGES.rst` with the next version.

* Dry Run: `bumpversion --dry-run --verbose --new-version 0.2.1 patch`

 \star Do it: `bumpversion --new-version 0.2.1 patch`

See the bumpversion documentation for details.